



Audio Visual product showcase

Page 2
Latest eco projection technologies



Page 4
Video conferencing

Page 3
Digital signage



Page 5/6
Room management

Page 7
Interactive technology



Page 7
Laptop security, charging
and secure storage



Experience the green




REVOLUTION

with our 20,000-hour mercury-free light source.


A particularly impressive aspect of CASIO projectors is their innovative illumination technology that eliminates the need for conventional mercury lamps. This is a real milestone in terms of eco-friendliness – and features a life time of up to 20,000 hours and illuminative performance of up to 4,000 ANSI lumens¹.

Mercury-free light source.

The innovative hybrid laser & LED light source makes CASIO projectors pioneers in environmental terms. Since 2006, the EU directive 2002/95/EC (RoHS) has significantly restricted the use of mercury. Until now, projector lamps for daylight use have been exempt. CASIO projectors have an illuminative performance of up to 4,000 ANSI lumens¹ without any need for mercury lamps.



In the advanced illumination technology of the Pro and Short Throw series, the colour blue is generated via a blue LED.



The CASIO projectors cover a larger area of the colour spectrum perceptible to the human eye.


Intelligent Brightness Control.

The Intelligent Brightness Control automatically adapts the projector's brightness to different lighting conditions, thus further optimising energy consumption.



Economical and environmentally friendly.

Until now, a projector with a 20,000-hour life time at high illuminative performance levels would have required up to nine conventional mercury lamps over that time, at a total cost of approximately €3,200. CASIO projectors eliminate these costs – and the additional energy requirements for the production, shipping and disposal of the replacement lamps. And with its compact format (297 x 43 x 210 mm) and reduced packaging, the Green Slim series also offers lower shipping costs.



Superior performance, low power consumption.

With power consumption of less than 0.4 watts in standby mode, CASIO projectors go beyond current EU regulations² for reducing the energy consumption of technical devices.



We accept no liability for errors or differences in design or colour, and reserve the right to make technical changes without notice. Last updated: January 2012.

¹ This feature is only available with selected models. Please consult the product specifications.
² EU regulation (no 1275/2008).



www.casio-projectors.eu

Free Standing Digital Poster

These free standing Digital posters featuring full HD 1080p video display are designed to be complete digital signage solutions. With a built in HD media player no additional hardware is required. As well as being portable, they can be in constant use and have a wide viewing angle. Tempered glass styling and no buttons or controls on show provide a sleek elegance. An eco-friendly power timer allows the user to set what time the display turns on and off during a week. With a range of inputs you can switch between VGA, AV, HDMI, YPbPr or Video IN.

Available in 40", 46", 55" and 65"



Multi Touch Screen Display

These interactive displays are simple to use and include both landscape and portrait models. The displays use an infrared multi touch screen system which is ideal for public locations as a finger, gloved hand, pen or stylus can be used as a pointer.

Available in 40" landscape, 46" and 55" portrait

Wall Mounted Digital Poster

The 21" LCD display is supplied with a wall mount for portrait mounting and has a super slim profile of just 30.7mm. Simply insert a USB drive and power on. The screen automatically starts playing the images, video and music that are loaded on to the card. You can set the play order and interval time of each slide and start and stop times, giving you complete control over every aspect of your digital presentation.





LifeSize®

About the 220 Series

The LifeSize 220 Series, including LifeSize Room 220, LifeSize Team 220 and LifeSize Express 220, offers the next generation of full HD video communications. With scalable options that bring a high quality, user-friendly experience to individuals and organizations alike, the 220 Series has shown millions of users what video communication is meant to be.



High Quality HD Experience

The LifeSize 220 Series boasts the highest available resolution, best motion handling and least latency on the high definition video conferencing market today. LifeSize pioneered HD video communication and has never stopped innovating. Our 220 Series of video conferencing solutions offers natural, realistic interaction like you've never experienced over video before.

Interoperable

All products in the LifeSize 220 Series are fully qualified to work with Microsoft® Office Communications Server 2007 R2™ and are interoperable with Microsoft® Lync™. The 220 Series is also interoperable with LifeSize Connections, enabling you to connect from a Mac or PC to a meeting room or conference room.

Intuitive to Use

Not only does the LifeSize 220 Series of products offer the highest quality video conferencing experience available, but all LifeSize 220 products were designed with simplicity in mind and are intuitive to use. When interaction and data sharing must happen in real time, rest assured that a LifeSize 220 product will enable collaboration simply and quickly.

Cost-Effective

As the pioneer of HD video communication, LifeSize continues to strive to bring HD video conferencing to the mainstream. With offerings that cost roughly one-third the purchase price of competitive solutions and even more savings throughout the life cycles of the products, the LifeSize 220 Series of video conferencing solutions boasts an effective return



Evoko Room Manager

Put an end to booking hassle and get higher meeting room usage.

Difficulty finding a free meeting room? The Evoko Room Manager solves this simply with the aid of small, elegant touch-sensitive screens that display the booking status of a meeting room clearly at the door. The complete system is based on Outlook*, and this means that you don't have to learn any new software and that you can book a room from your own computer. In addition it has support for Microsoft's "Cloud"-application MS Office 365 and Outlook Web Access, which gives you the freedom to book from a distance. The screen displays who has booked the room and for how long, and it is possible to make or cancel a booking directly on the screen. Extending an ongoing meeting is as simple as reaching out through the door! Green or red LED background illumination allows it to be seen at a distance

whether the room is free or occupied, and the screen can suggest alternative rooms that are free. Nothing is left out: Confirm the meeting by touching the "Confirm the start of the meeting" button. If your booking is not confirmed it will automatically be released for booking again! You can choose, at installation, if you want to activate this function or not. The system even includes a "Report" function for reporting faults of the projector or other technical equipment. The Evoko Room Manager is installed without any additional server or software on the company's Exchange server. Not even a plug-in in Outlook* is needed. This means that the installation will not trespass on IT security. Furthermore, it makes the installation itself real easy.

Evoko Room Manager. Touch. Schedule. Meet.

EVOKO

- Easy to install.
 - No new server is required.
 - No additional software installation needed on the company's Microsoft Exchange server.
 - No new software installation on the users' computers and no heavy programming is needed.
- Easy to use.
 - The complete system is based on Microsoft Outlook*.
 - No need to learn new software.
- Book meetings in Microsoft Outlook* or directly on touch screen.
 - Display the meeting organizer and/or the subject for the meeting (simultaneously).
- Quickly find a free room just by looking for a room that shows green light.
- Book an instant meeting directly on the touch screen.
- Extend an ongoing meeting directly on the touch screen.
- End an ongoing meeting directly on the touch screen.
- Find a free room directly on the touch screen.
 - Confirm the start of the meeting by touching the icon on the screen. If the start is not confirmed the screen will return to green light and the room will once again be available for booking.
- Check equipment status to make sure that vital technical equipment for the meeting is working before entering the meeting room.
- Report a problem connected to technical equipment in the meeting room.
- System requirements:
 - Direct http/https access to MS Exchange server 2003, 2007, 2010 or Office 365.*
 - Proper time and time zone settings on MS Exchange server must be set.

* Make sure that no security functions or programs block or restrict a direct http/https communication between the Exchange server and the Evoko Room Manager (i.e. domain control, firewalls, proxies, network logins etc.)


- MS Exchange server 2003/WebDav needs to access:
[https://<exchangeserver \(ip or domain\)>/exchweb/bin/auth/owaauth.dll](https://<exchangeserver (ip or domain)>/exchweb/bin/auth/owaauth.dll) (authentication)
[https://<exchangeserver \(ip or domain\)>/Exchange/room@domain.com](https://<exchangeserver (ip or domain)>/Exchange/room@domain.com) (read calendar)

- MS Exchange server 2007/WebDav needs to access:
[https://<exchangeserver \(ip or domain\)>/exchweb/bin/auth/owaauth.dll](https://<exchangeserver (ip or domain)>/exchweb/bin/auth/owaauth.dll) (authentication)
[https://<exchangeserver \(ip or domain\)>/Exchange/room@domain.com](https://<exchangeserver (ip or domain)>/Exchange/room@domain.com) (read calendar)
- MS Exchange server 2007/EWS needs to access:
[https://<exchangeserver \(ip or domain\)>/EWS/Exchange.asmx](https://<exchangeserver (ip or domain)>/EWS/Exchange.asmx)
- MS Exchange server 2010/EWS needs to access:
[https://<exchangeserver \(ip or domain\)>/EWS/Exchange.asmx](https://<exchangeserver (ip or domain)>/EWS/Exchange.asmx)
- Display Size: 8 inches.
- Touch Screen.
- Ethernet Controller: 10/100 Mbit.
- Device Input Power Sources: PoE – 48 V DC by RJ45.
 AC-DC Adapter 12 V DC by DC Jack.
- PoE-PD Specification Version: IEEE 802.3-2005 (previously 802.3af).
- PoE Maximum Power: 12.95 W.
- USB: x1, Host, 1.5/12 Mbit, USB-A connector.
- RJ45: x1, Ethernet 10/100 Mbit, PoE.
- DC in: x1, 12 VDC.
- LED Type (status light): Hyper Red, Super Green.
- Complies with RoHS directive.
- EMC: CE.
- Electrical safety: CE.
- AC/DC Adapter: CE-approved, 12 V DC output, 300 mm cable.
- User interface languages: English, French, German, Spanish, Catalan, Galician, Basque, Portuguese, Italian, Russian, Polish and Czech.
- Frame and main casing: Aluminum alloy.
- Colour: White.
- Size: 270 x 192 x 39 mm.
- Weight: 1.3 kg.

ARTICLE NO: Evoko Room Manager ERM1001-series



Crystal clear. Green or red LED background illumination shows at a distance whether the meeting room is free or occupied. You can check the booking status with a few simple commands, and make or cancel your own bookings, or extend an ongoing meeting. The Evoko Room Manager is automatically synchronised with bookings made in Outlook*.



EVOKO

Clevertouch

A range of large format interactive display screens featuring crystal clear, pin sharp images and optical touch technology. Toughened glass and an all steel bezel give added durability for heavy usage.

Available in 32", 42", 46", 55", 60", 65" and 70" LCD versions



Durability

5mm toughened glass, steel bezel, 24/7 usage



Optional Built in PC

No connecting cables or software installation required



Multi Touch

Dual touch, multi touch gestures and writing available*



High Definition

Full HD 1080p** high brightness display



Plug & Play

No calibration, no drivers - just turn them on and start interacting



No Shadow

Unlike interactive whiteboard and projector solutions

Clevertouch Fusion

The Clevertouch Fusion allows users to collaborate in a new and exciting way by offering a 32-point touch technology that can be used in three interactive modes of operation:- a whiteboard, an easel, and a table. With toughened glass and an all steel bezel the Clevertouch Fusion is built to withstand the rigours of a high demand environment.



Golding Audio Ltd are proud to be the **only UK Premium Partner** for the entire Lapsafe Products portfolio.

Ranging from laptop security, charging, network connectivity, mobile IT suite functionality and central storage distribution products. Our depth of knowledge of the Education and Commercial sectors, coupled with extensive in-house IT skills gives us an edge over the competition, whilst our inclusive solutions mean we can support all your mobile computer deployment.

